













Velvet Helmet Comparison Chart



Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 Hampton	Black, Navy, Brown, Grey, Green	Tan, Buckle	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin	Luxurious Velvet	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$
 H2000	Black, Navy, Brown, Grey, Green	Tan, Hook And Loop Closure	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin	Luxurious Velvet	Rounded	6-7 ¹ / ₂ or 49-61 cm	\$\$\$
 Ayr8® Classic	Black	Black, GRpx® Technology	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Fade Resistant Velvet Finish	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ - 7 ¹ / ₄ or 56-59 cm	\$\$\$\$
 Showjumper XP	Black, Navy, Brown, Grey, Green	Tan, Hook And Loop Closure	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Luxurious Velvet	Traditionally Rounded	6 ³ / ₈ -8 or 52-65 cm	\$\$
 Wellington Classic	Black, Navy, Brown, Grey, Green	Tan, Hook And Loop Closure	Four Discreet Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin	Luxurious Velvet	Slightly Squared	6 ³ / ₈ -7 ¹ / ₂ or 52-61 cm	\$\$\$






Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 Rider 2000	Black, Navy, Brown, Grey, Green	Black, Nylon With Buckle	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15; <i>Sizes below 6 3/8 or above 7 1/2 are not certified by SEI to ASTM F1163-15.</i>	Satin/Mesh	Luxurious Velvet	Traditionally Rounded	6-7 3/4 or 49-63 cm	\$
 Fian	Black, Navy, Brown, Grey, Green	Tan, Hook And Loop Closure	None	Kitemarked and CE marked to VG1 01.040 2014-12 and certified by SEI to ASTM F1163-15.	Satin	Luxurious Velvet	Traditionally Rounded	6-7 5/8 or 49-52 cm	\$\$\$





Jockey & Cross Country Helmet Comparison Chart





Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 4Star	Black, Silver	GRpx® Technology Harness	"Free Fit" System, Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15, Certified to SNELL E2001	Satin/Mesh	Painted	Black Ventilated Silk	0 1/2 to 4 1/2 or 54-62 cm	\$\$\$
 Pro II Plus	Black, Silver, Gold, Navy, Pink, Rose Gold	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Painted	Black Ventilated Silk	00 1/2-6 or 52-65 cm Round: 1 1/2-3 or 56-59 cm	\$\$\$
 J3	Black	Cushion Comfort Harness	Four Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Painted	Black Ventilated Silk	00 1/2 to 6 or 52-65 cm	\$\$\$
 APM II	Black	Gelfoam® Padded Leather Harness	Six Frontal Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Painted	Black Ventilated Silk	0 to 4 or 53-61 cm	\$\$\$
 JS1	Black	Four-point Webbing Harness	Ten Ventilation Slots	Kitemarked and CE marked to VG1 01.040 2014-12 and PAS015:2011.	Satin/Mesh	Painted	Black Ventilated Silk	0 to 4 1/2 or 53-62 cm	\$\$






Jockey & Cross Country Helmet Comparison Chart





Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 <p>JS1 Pro</p>	Black	Leather Harness With Reinforced Nylon Webbing And Suede Padding	Ten Ventilation Slots	Kitemarked and CE marked to VG1 01.040 2014-12 and PAS015:2011	Satin/Mesh	Painted	Black Ventilated Silk	0 to 4 1/2 or 53-62 cm	\$\$
 <p>MS1 Pro</p>	Black	Leather Harness With Reinforced Nylon Webbing And Suede Padding	Ten Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Painted ABS	Black Ventilated Silk	0 1/2 - 4 or 53 - 61cm Round: 1 1/2 - 2 1/2 or 56 - 58cm	\$\$

Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 YR8	Black, Black/Charcoal, Brown/Tan, Navy, Midnight Charcoal/Silver, Midnight Charcoal/Pink	Adjustable Black Nylon	Four Discreet Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12	Satin	Microsuede	Gently Rounded	6 ³ / ₈ -7 ¹ / ₂ or 52-61 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$
 YR8 Sparkly	All Black, Black/Silver, Black/Gold, All Navy, Navy/Silver, Brown/Gold	Adjustable Black Nylon	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12	Satin	Microsuede	Gently Rounded	6 ³ / ₈ -7 ¹ / ₂ or 52-61 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$
 Young Riders Hat	Black, Navy	Adjustable Black Nylon	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15 from 6 ³ / ₈ -7 ¹ / ₂ .	Satin/Mesh	Velvet	Rounded	6-7 ³ / ₄ or 49-63 cm	\$
 Young Riders Jockey	Black	Adjustable Black Nylon	Eight Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15 from 00 ¹ / ₂ -5 and Round Fit 0 ¹ / ₂ -5.	Satin/Mesh	Black Silk	Silk	000-5 or 49-63 cm, Round Fit 000-5 or 49-63 cm	\$
 Young Riders Polo	Black, Navy, Green	Adjustable Nylon Four-Point Harness	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12	Satin/Mesh	Padded Cotton Drill Cover	Traditional Polo	6 ³ / ₈ -7 ³ / ₄ or 52-63 cm	\$

Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 Ayr8® Plus	Black, Black/Silver, Black/Gold, Navy, Navy/Silver, Brown, Brown/Gold, Charcoal/Black	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$\$
 Ayr8® Plus	Black, Black/Silver	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede or Leather Look	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$\$
 Ayr8® Plus Leather Look	Black, Black/Silver, Black/Gold, Navy, Navy/Silver, Brown, Brown/Gold, Charcoal/Black	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Leather Look	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$\$
 Ayr8® Plus with Trim	Black, Navy, Brown	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede or Leather Look	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$\$\$

Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 <p>Ayr8® Plus with Piping</p>	Leather Look: Black, Navy, Brown, Charcoal; Microsuede: Black, Navy, Brown, Charcoal, Silver, Lilac, Baby Blue, Pink, Bottle Green; Mesh: Black, Navy, Brown, Silver; Paint: Black, Navy, Brown, Hot Pink, Purple, Silver, Gold	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede or Leather Look	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$\$\$
 <p>Ayr8® Plus Sparkly</p>	Black, Navy	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede or Leather Look	Gently Rounded	6 ⁵ / ₈ -7 ¹ / ₂ or 54-61 cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59 cm	\$\$\$\$
 <p>AyrBrush</p>	Black, Navy, Brown	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Mark-resistant Matte Finish	Modern With Slope	6 ⁵ / ₈ -7 ¹ / ₂ or 54-61 cm	\$\$
 <p>AyrBrush with Pinstripe</p>	Black, Navy, Brown	GRpx® Technology Harness	Front And Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Mark-resistant Matte Finish	Modern With Slope	6 ⁵ / ₈ -7 ¹ / ₂ or 54-61cm Round: 6 ⁷ / ₈ -7 ¹ / ₄ or 56-59cm	\$\$

Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 V8	Black, Black/Silver, Navy, Navy/Silver	Six-point GRpx® Technology Harness	"Free Fit" System	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede	Gently Rounded	6 ⁵ / ₈ -7 ¹ / ₂ or 54-61 cm	\$\$\$\$
 Gr8	Black, Black/ Charcoal, Navy	Black Suede Reinforced With Nylon	None	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin	Microsuede	Gently Rounded	6 ³ / ₈ -8 or 52-65 cm	\$\$
 SP8 Plus	Black, Navy, Black/ Silver, Navy/Silver Black Sparkly, Navy Sparkly	Six-point GRpx® Technology Harness	"Free Fit" System	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede	Sun Protection	6 ⁵ / ₈ -7 ¹ / ₂ or 54-61 cm	\$\$\$
 Wellington Professional	Black, Black/ Charcoal	Cushion Comfort Padding Harness	Four Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Microsuede	Slightly Squared	6 ³ / ₈ -8 or 52-65 cm	\$\$\$
 Palermo Polo	Black, White, Blue, Navy, Green, Dark Green, Red, Charcoal, Maroon, Yellow	Secure Harness System	Front And Rear Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Cotton Drill	Traditional Polo	6 ³ / ₈ -8 or 52-65 cm	\$\$\$

Helmet	Color	Harness	Ventilation	Certifications	Linings	Cover	Visor	Sizes	Price
 Palermo II	Black, Navy, Purple, Royal Blue, Bottle Green (Hunter), Red, Maroon, Emerald Green	Secure Harness System	Front And Rear Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Cotton Drill	Traditional Polo	6 ³ / ₈ -8 or 52-65 cm Round: 6 ⁷ / ₈ - 7 ¹ / ₄ or 56 - 59cm	\$\$\$
 Polocrosse	White	GRpx® Technology Harness	Front and Rear Ventilation Slots	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Mark Resistant Matte Finish	Modern With Slope	6 ⁵ / ₈ - 7 ⁵ / ₈ or 54 - 62cm Round: 6 ⁷ / ₈ - 7 ¹ / ₄ or 56 - 59cm	\$\$\$
 My PS	Black	Secure Harness System	Front And Rear Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Painted ABS	Gently Rounded	6 ⁵ / ₈ - 7 ¹ / ₂ or 54 - 61cm Round: 6 ⁷ / ₈ - 7 ¹ / ₈ or 56 - 58cm	\$\$\$
 My PS with Wide Peak	Black	Secure Harness System	Front And Rear Ventilation Holes	Kitemarked to PAS015:2011 and VG1 01.040 2014-12, CE marked to VG1 01.040 2014-12, Certified by SEI to ASTM F1163-15	Satin/Mesh	Painted ABS	Sun Protection	6 ⁵ / ₈ - 7 ¹ / ₂ or 54 - 61cm Round: 6 ⁷ / ₈ - 7 ¹ / ₈ or 56 - 58cm	\$\$\$